REFERENCES

1. Wild S, Roglic G, Green A, Sicree R, King H. Global prevalence of diabetes estimates for the year 2000 and projections for 2030. Diabetes care 2004;27: 1047-53.

2. Zimmet P, Alberti KG, Shaw J. Global and societal implications of the diabetes epidemic. Nature 2001;414:782-87.

3. Chattopadhyay RR. A comparative evaluation of some blood sugar lowering agents of plant origin. J Ethnopharmacol 1999;67:367-72.

4. Prasanna shama K, Shastry K. Evaluation of antidiabetic activity of *Bauhinia purpurea Linn* in streptozocin induced diabetic rat. International journal of advances in pharmacy biology and chemistry 2012;1(4):536-39.

5. Ramulu jadhav, Goverdhan punchchakayala. Hypoglycemic and antidiabetic activitiy of flavonoid:boswelllic acid, ellagic acid, quercetin, rutin on streptozocin-nicotinamide induced type 2 diabetic rats. Int J Pharm Pharm Sci 2012;4(2): 251-56.

6. Bartosikova L, Necas J, Suchy V, Kubinova R, Vesela D, Benes L *et al*. Monitoring of antioxidant effect of morine in alloxan-induced diabetes mellitus in the laboratory rat. Acta Vet Brno 2003;72:191-200.

7. Avnesh K, Sudesh KY, Yogesh BP, Veent K, Bikaram S, Abha C *et al*. Nanoencapsulation and characterization of Albezia Chinensis isolated antioxidant quercetin on PLA nanoparticles. Colloids Surf B Biointerfaces 2011;82:224-32.

8. Desco MC, Asensi M, Marquez R, Martinez-valls J, Vento M, Pallardo FV *et al*. Xanthine oxidase involved in free radical production in type I diabetes: protection by allopurinol. Diabetes 2002;51(4):1118-24.

9. Soppimath KS, Aminabhavi TM, Kulkarni AR, Rudzinski WE. Biodegradable polymeric nanoparticles as drug delivery devices. J Control release 2001;70:1-20.

10. Radhika Ramachandran, Piramanayagam shanmugavel. Preparation and characterization of biopolymeric nanoparticles used in drug delivery. Indian J Biochem Biophys 2010;47:56-59.

11. Liu ke pan, Wang le feng, Li Yang, Yang bin, Du chao, Wang Yang (2012), Preparation, pharmacokinetics and tissue distribution properties of icariin-loaded stealth solid lipid nanoparticles in mice. Chinese Herbal Medicines 2012; 4(2):170-174.

12. Moorthi C, Kiran Krishna, Manavalan R, Kartiresan K. Preparation and characterization of curcumin-piperine dual drug loaded nanoparticles. Asian Pac J Trop Med 2013;841-48.

13. Radhika R, Piramanayagam S (2010), Preparation and characterization of biopolymeric nanoparticles used in drug delivery. Indian Journal of Biochemistry and Biophysics.47:56-59.

14. Yin meng Tsai, Woan Ching Jan, Chao Feng Chien, Wen Chuan Lin, Tung Hu Tsai (2011), Optimised nano-formulation on the bioavailability of hydrophobic polyphenol, curcumin, in freely-moving rats. Food Chemistry. 127:918-925.

15. Tzu Hui Wu, Feng Lin Yen, Liang Tzung Lin, Tong Rong Tsai, Chun Ching Lin, Thau Ming Cham (2008), Preparation, physiochemical characterization and antioxidant effects of quercetin nanoparticles. Int J Pharm. 346:160-168.

16. Avnseh Kumari, Sudesh kumar yadav, Yogesh B pakade, Bikram singh, Subash Chandra yadav (2010), Development of biodegradable nanoparticles for delivery of quercetin. Colloids and surfaces B Biointerfaces. 80:184-192.

17. Xiangraong song, Yu zhao, Shixiang Hou, Fangyuan xu, Rongli zhao, Junyao He et al (2008), Dual agents loaded nanoparticles: systemic study of particle size and drug entrapment efficiency. Eur J Pharm Biopharm. 69:445-453.

18. Liu KP, Wang LF, Li Y, Yang B, Du C, Wang Y (2012), Preparation, pharmacokinetics and tissue distribution o properties of icariin-loaded stealth lipid nanoparticles in mice. Chinese herbal medicine. 4(2):170-174.

19. Hector P, David Q, Juang DDF, Camila MM, Etelvino HB, Luis AG *et al* (2012), Antioxidant effect of Quercetin and catechin encapsulated into PLGA nanoparticles. J Nanomater.1-12.

20. Ana GLA, Jaime L, Francisco MG, Miguel AV, Ana LA, Simon BHA et al (2012), Characterization and antiproliferative activity of Nobiletin-loaded chitosan Nanoparticles. J Nanomater. 1:1-7.

21. Laxmi B, Narendra G (2012), Development of biocompatible nanoparticles for sustained topical delivery of rutin. International journal of pharmaceutical & biological Archives. 3(2):326-332.

22. Van de ven H, Vermeersch M, Matheeussen A, Vandervoort J, Weyenberg W, Apers S et al (2011), PLGA nanoparticles loaded with the antileishmanial saponin β-aescin: Factor influence study and in vitro efficacy evaluation. Int J Pharm. 420:122-132.

23. Ana CP, Michelle F, Karen CDS, Igor P, Maria FDG, Femandes DS et al (2011), Preparation and characterization of polymeric nanoparticles loaded with luteolin, by using factorial design. International journal of drug delivery. 3:683-698.

24. Catarina pinto reis, Ronald J neufield, Antonio J ribeiro, Francisco veiga (2006), Nanoencapsulation I. Methods for preparation of drug-loaded polymeric nanoparticles. Nanotechnology biology and medicine. 2:8-21.

25. Sergio GR, Eric A, Hatem F, Eric D (2004), Physiochemical parameters associated with nanoparticle formation in the salting-out, emulsification-diffusion and nanoprecipitation methods. Pharm Res. 21:1428-1439.

26. Ortiz Andrade RR, Sanchez salgado JC, Navarrete Vazquez G, Webster SP, Binnie M, Garcia Jimenez S et al (2008), Antidiabetic and toxicological

evaluations of naringenin in normoglycemic and NIDDM rat models and its implications on extra-pancreatic glucose regulation. Diabetes Obes Metab. 10(11):1097-104.

27. Moorthi C, Kiran K, Manavalan R, Kathiresan K (2012), Preparation and characterization of curcumin-piperine dual drug loaded nanoparticles. Asian Pac Trop J Bomed. 841-848.

28. Nagavarma BNV, Hemant KSY, Ayaz A, Vasudha LS, Shivakumar HG (2012), Different techniques for the preparation of polymeric nanoparticles-A review. Asian journal of pharmaceutical clinical research. 5(3):16-23.

29. Georgeta C, Eliza G, Nicoleta GH, Daniel IH, Adrian R, Geza B et al (2008), Propolis extract/β-cyclodextrin nanoparticles: synthesis, physio-chemical, and multivariate analyses. Journal of agroalimentary processes and technologies.14:58-70.

30. Jingling T, Na Xu, Hongyu Liu, Hongmei Liu, Zhiyong Wang, Linhua Wu (2011), Eudragit nanoparticles containing genistein: formulation, development and bioavailability assessment. Int J Nanomedcine. 6:2429-2435.

31. Selvakumar K, Yadav AV (2009), Formulation and evaluation of Carvedilol loaded Eudragit E 100 nanoparticles. Inernational journal of Pharm Tech Research.1(2):179-183.

32. Vikrant V, Pankajkumar S, Poonam K, Manali S, Yogesh P (2009), Physiochemical characterization of solid dispersion systems of tadalafil with poloxamer 407. Acta Pharm.59:453-461.

33. Ming ZJ, Hui Y, Yan W, Xiang ML (2011), In vitro and in vivo studies of antioxidant activities of flavonoids from *Adiantum Capillus.* African journal of pharmacy and pharmacology. 5(18):2079-2085.

34. Krutika thorat, Leena patil, Dyanesh limaye, Vilasrao kadam (2012), In vitro models for antidiabetic activity assessment. International journal of research in pharmaceutical and biomedical sciences. 3(2):730-733.

35. Haidari F, Keshavarz SA, Rashidi MR, Mahboob SA, Eshraghian MR, Shahi MM (2009), Effects of quercetin and kaempferol versus allopurinol on serum uric acid levels, biomarkers of oxidative stress and hepatic xanthine oxidase/xanthine dehydrogenase activity in hyperuricemic rats. Pharmaceutical Sciences. 14(4):301-309.

36. Yuichi T, Masaaki I, Hiromasa U, Hirofumi T (2011), A novel application of α-glucosyl hesperidin for nanoparticle formation of active pharmaceutical ingredients by dry grinding. Eur J Pharm Biopharm. 79:559-565.

37. Senthilkumar KL, Poluru R, Sathish S (2011), A comparative study on the antidiabetic effect of *Nelumbo nucifera* and glimepiride in streptozocin induced diabetic rats. International journal of pharma and bio sciences. 2(2):63-69.

38. Ghada A fawzy, Hossam M abdallah, Mohamed SA marzouk, Fathy M soliman, Amany A sleem (2008), Antidiabetic and antioxidant activities of major flavonoids of Cynanchum acutum growing in Egypt. Z Naturforsch. 63:658-662.

39. Nidhi Sharma, Veena G (2012), Antihyperglycemic and antioxidant effect of hydoethanolic extract of Butea monosperma bark in diabetic mice. Indian journal of biochemistry and biophysics. 49:55-62.

40. Daniel H, Nicoleta GH, Geza NB, Heinz DI (2012), Water content of flavonoid/cyclodextrin nanoparticles: relationship with the structural descriptors of biologically active compounds. Food chem. 132:1651-1659.

41. Fu xu dong, Li de zong, Chen fang fang, Liu Hong (2010), Preparation and in vitro evaluation of nanoparticles containing naringin. Chinese journal of hospital pharmacy.20:005.http://en.cnki.com.cn/Article_en/CJFDTOTALZGYZ201020005.htm.

42. Mamdouh M ali, Monira A Abd el kader (2004), The influence of naringin on the oxidative state of rats with streptozocin-induced acute hyperglycemia. Z Naturforsch. 59:726-733.

43. Xian KF, Jie G, Dan NZ (2008), Kaempferol and quercetin isolated from *Euonymus alatus* improve glucose uptake of 3T3-L1 cells without adipogenesis activity. Life Sci. 82:615-622.

44. Pari L, Selvaraju S (2010), Antihyperglycemic and antilipidperoxidative effects of flavonoid naringin in streptozotocin-nicotinamide induced diabetic rats. International journal of medical Res. 1(4):206-210.

45. Zhang JQ, Liu J, Li XL, Jasti BR (2007), Preparation and characterization of solid lipid nanoparticles containing silibinin. Drug Deliv. 14(6):381-387.

46. Mohammad W, Anas AO, Mohammad H, Fuad AA, Emad TA, Khodadad M et al (2012), Protective action of flavonoids extracted from different Jordanian plants against oxidative stress. International journal of biological and pharmaceutical research. 3(3):450-456.

47. Binitkumar, Sureshkumar G, Srinivasan BP, Tapas Chandra N, Sushma S, Rohit S (2012), Hesperetin ameliotrates hyperglycemia induced retinal vasulopathy via anti-angiogenic effects in experimental diabetic rats. Vascul Pharmacol. 57:201-207.

48. Bhawana, Basniwal RK, Buttar HS, Jain VK, Jain N (2011), Curcumin nanoparticles:preparation, characterization and antimicrobial study. J Agric Food Chem. 5(59):2056-61.

49. Anindita M, Jamboor KV (2009), Formulation, characterization and evaluation of Curcumin-loaded PLGA nanospheres for cancer therapy. Anticancer Res. 29:3867-3876.

50. Savita B, Georg F, Sheetal S, Rajani R, Collins K, Amarnath M *et al* (2007), Polymeric nanoparticle-encapsulated curcumin: a novel strategy for human cancer therapy. J Nanobiotechnology. 5(3): doi:10.1186/1477-3155-5-3.

51. Hsu WC, Nq LT, Wu TH, Lin LT, Yen FL, Lin CC (2012), Characteristics and antioxidant activities of silymarin nanoparticles. J Nanosci Nanotechnol. 12(3):2022-2027.

52. Suvadra D, Partha R, Runa GA, Arup M (2011), Silymarin nanoparticle prevent paracetamol-induced hepatotoxicity. Int J Nanomedcine. 6:1291-1301.

53. Morgen M, Bloom C, Beverinck R, Bello A, Song W, Wilkinson K (2012), Polymeric nanoparticles for increased oral bioavailability and rapid absorption using celecoxib as model of a low-solubility, high permeability drug. Pharm Res. 29(2):427-440.